



Network	<ul style="list-style-type: none"> • 2 x Gigabit Ethernet ports with Offload Engine 	
Optical Drive	<ul style="list-style-type: none"> • SATA DVD-ROM Optical Drive 	
Standard I/O ports	<ul style="list-style-type: none"> • One (1) Keyboard; One (1) Mouse; One (1) Serial ; One (1) Video; Two (2) RJ-45 Gig; Five (5) USB 2.0 Ports (2 Rear, 2 Front, 1 Int.) 	
Power supply	Dual Hot Plug Power Supplies 350W	
Availability	<ul style="list-style-type: none"> • Hot-plug, redundant fan • Remote management • Drivers, Manuals, 2 Power cords 	
Rack-Mount Kit	<ul style="list-style-type: none"> • Quick Deploy Rail System includes sliding universal rails and Cable Management arm 	
Operating System	Genuine Microsoft Windows Server 2008 R2, x64	
Warranty	<ul style="list-style-type: none"> • 3-Year Warranty and Service offering delivers 3-Year of Parts, 3-Year of Service, 3-Year of On-Site Support 	

Category	B*	
Quantity	1	
	Our specification	Supplied specification
Type	Rack-Mount Server	
Processor	Intel(R) Xeon(R) Processor E5-2407 (2.20GHz, 10M Cache, 6.4GT/s, 4-core) or equivalent	
Processor Sockets	1	
Memory	6GB DDR3 up to 1600MHz	
I/O slots	<ul style="list-style-type: none"> • One x16 full-length, full-height • One x8 full-length, full-height • One x8 half-length, half-height 	



Hot-Plug Hard Drive Storage and Options	<ul style="list-style-type: none"> • Minimum 6 (Six) 2.5” drive-bays compatible with 2.5” PCIe SSD, SAS SSD, SATA SSD, SAS (15K, 10K), nearline SAS (7.2K), SATA (7.2K) • Currently 3 drive-bays populated with 500GB 7.2K RPM, 6Gbps Near Line each 	
Network	<ul style="list-style-type: none"> • 2 x Gigabit Ethernet ports with Offload Engine 	
Optical Drive	<ul style="list-style-type: none"> • SATA DVD-ROM Optical Drive 	
Standard I/O ports	<ul style="list-style-type: none"> • One (1) Keyboard; One (1) Mouse; One (1) Serial ; One (1) Video; Two (2) RJ-45 Gig; Five (5) USB 2.0 Ports (2 Rear, 2 Front, 1 Int.) 	
Power supply	Dual Hot Plug Power Supplies 350W	
Availability	<ul style="list-style-type: none"> • Hot-plug, redundant fan • Remote management • Drivers, Manuals, 2 Power cords 	
Rack-Mount Kit	<ul style="list-style-type: none"> • Quick Deploy Rail System includes sliding universal rails and Cable Management arm 	
Operating System	Genuine Microsoft Windows Server 2008 R2, x64	
Warranty	<ul style="list-style-type: none"> • 3-Year Warranty and Service offering delivers 3-Year of Parts, 3-Year of Service, 3-Year of On-Site Support 	

*** Server specification is for indication purposes only.**



Category C		
Quantity 1		
Console	<ul style="list-style-type: none">• Rack Mount (1U)• 17" Monitor with integrated Keyboard and Mouse compatible with supplied Console Switch KVM	
Warranty	<ul style="list-style-type: none">• 3-Year Warranty and Service offering delivers 3-Year of Parts, 3-Year of Service, 3-Year of On-Site Support	

Category D		
Quantity 1		
Console KVM Switch	<ul style="list-style-type: none">• 4-Port USB/PS2 Rack Mount, Including accessories and 4 USB-System/Server adaptors	
Warranty	<ul style="list-style-type: none">• 3-Year Warranty and Service offering delivers 3-Year of Parts, 3-Year of Service, 3-Year of On-Site Support	

Category E		
Quantity 1		
Un-Interrupted Power Supply (UPS)	<ul style="list-style-type: none">• Minimum 2500 VA• Rack Mount• Complies with IEC 320 C13/C14	
Warranty	<ul style="list-style-type: none">• 3-Year Warranty and Service offering delivers 3-Year of Parts, 3-Year of Service, 3-Year of On-Site Support	



5. އިންޓަރީސިޑް ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން

- ސަރުކާރުގެ ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން 2013 ވަނަ އަހަރު 5 ސެޕްޓެމްބަރު ވަނަ ދުވަހު 11:00 އަށް ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ. ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ. ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ.

ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ
އިންޓަރީސިޑް، ޖުމްލަވުމުގެ ބަޔާން
މާލެ، 20392
ދިވެހިރާއްޖެ.

6. އިންޓަރީސިޑް ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން

- ސަރުކާރުގެ ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން 2013 ވަނަ އަހަރު 5 ސެޕްޓެމްބަރު ވަނަ ދުވަހު 11:00 އަށް ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ. ރިސޯޅު ޖުމްލަވުމުގެ ބަޔާން ހުށަހަޅާނެއެވެ.